Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	"00001024179693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L3	1	"09/991500"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L4	0	super with heterodyne with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L5	1788	super with heterodyne	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L6	0	super with heterodyne same ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L7	18	super with heterodyne and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L8	704	(dynamic with range) and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L9	673	(dynamic adj range) and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49

L10	81	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L11	30	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L12	10	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L13	3	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L14	2	"20030072393".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L15	2	"5396519".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L16	23	((dynamic adj range) with reduce\$1) with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L17	3296	375/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49

			,	·		
L18	2246	375/350	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L19	7056	((dynamic adj range) with reduce\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L20	5819	16and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L21	53	L19 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L22	65	L19 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L23	23	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L24	127	(dynamic adj range) with reduce\$1 and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L25	11	L24 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49

L26	11	L24 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L27	28	("20020016158" "20020075971" "2 0020136178" "4159518" "4313215" "5384547" "5402500" "6014366" " 6028884" "6484017" "6621368" "66 62001" "6757324").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L28	4	("5974040" "6282231").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L29	2	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49
L30	1	((dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:49

drjatorres@gmail.com | Search History | My Account | Sign out



 Web
 Images
 Groups
 News
 Froogle
 Local
 more »

 multicarrier and "reduced dynamic range" "inte
 Search
 Advanced Search Preferences

The "AND" operator is unnecessary - we include all search terms by default. [details]

Web Results 1 - 7 of 7 for multicarrier and "reduced dynamic range" "intermediate frequency". (0.39 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] A Demonstrator for a Low Cost Cordless Multi-Carrier Spread ...

File Format: PDF/Adobe Acrobat - View as HTML

measurements of the intermediate frequency (IF) and baseband ... A reduced dynamic

range or a low. crest factor (power peak-to-mean ratio) allows to reduce ...

www.ifn.et.tu-dresden.de/MNS/ veroeffentlichungen/1998/Kuehne_J_USS_98.pdf -

Similar pages - Remove result

[PS] Abstract Most current development strategies for future mobile ...

File Format: Adobe PostScript - View as HTML

The lower frequency band might be used as an intermediate frequency for ... "Multi-

carrier spread spectrum modulation with reduced dynamic range ...

www.tkn.tu-berlin.de/publications/papers/icupc.ps - Similar pages - Remove result

[PDF] A Closed Solution For An Integrated Broadband Mobile System (IBMS)

File Format: PDF/Adobe Acrobat

[3] V. Aue and GP Fettweis, "Multi-carrier spread spectrum mod-. ulation with reduced

dynamic range, "Proceedings of the 46th IEEE ...

www.tkn.tu-berlin.de/publications/papers/icupc.pdf - Similar pages - Remove result

[PDF] A Closed Solution for an Integrated Broadband Mobile System (IBMS ...

File Format: PDF/Adobe Acrobat

intermediate frequency for transmitting at 38 GW60 GHz, lead-. ing to a modular terminal

design, ... ulation with **reduced dynamic range**,"Pmceedings ...

ieeexplore.ieee.org/iel3/ 4062/12222/00562665.pdf?arnumber=562665 -

Similar pages - Remove result

[PDF] Mixed BB-IF predistortion of OFDM signals in non-linear channels ...

File Format: PDF/Adobe Acrobat - View as HTML

performance of the existing analog IF (Intermediate Frequency) ... to nonlinear distortions

because of the adopted multicarrier. modulation. ...

dante.diei.unipg.it/~banelli/Documenti/ TransOnBroad_Mixed_BB_IF_printable.pdf -

Supplemental Result - Similar pages - Remove result

[PDF] Configurable RF receiver architectures - Microwave Magazine, IEEE

File Format: PDF/Adobe Acrobat - View as HTML

multicarrier system based on HIPERLAN/2 and. UMTS-FDD standards [14], [15] and Nokia

has found ... intermediate frequency (if) frequency range up to 2 ...

140.98.193.112/iel5/6668/28677/01284946. pdf?tp=&arnumber=1284946&isnumber=28677

- Supplemental Result - Similar pages - Remove result

[PDF] Direct Digital Synthesizers: Theory, Design and Applica-tions

File Format: PDF/Adobe Acrobat - View as HTML

In Chapter 11, a multi-carrier QAM modulator has been developed and ... achieved by

choosing such a high intermediate frequency that the PLL output ...

lib.tkk.fi/Diss/2000/isbn9512253186/isbn9512253186.pdf - Similar pages - Remove result

Try your search again on Google Book Search

multicarrier and "reduced dynamic ra Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

SCITUS for scientific information only

About Us	Newsroom	Advisory Board	Submit Web	Site	Help		Contact Us
Basic Search			Advanced Search Preferences				
		ier and "reduced o	,			Searce Example 1	
	ınd:: :1 tota	he words:multicarric 0 journal results nce <u>date</u>		•	_		termediate frequency" r <u>esults</u>
1. Mixed Broad Jan 20the substi Terms OFDM efficie [http:	casting, IEEE 2002 existing analo tutionbecausselected stateOBO), with ency. This	Email checks ortion of OFDM signal Transactions on [Property of the adopted and ards adopt multiple of the aconsequently remails]	te Frequenc multicarrier lticarrier tec duced dynar	near cha y) ones. modulat hniques mic rang	However, tion. Index such as ge and pov	the	Or refine using: All of the words Refine

fast !!:

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising</u> <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2006



Submit Web Site About Us Newsroom **Advisory Board**

Help Contact Us

	Basic Search	Advanced Search Search Preferences	
	multicarrier and "reduced dynamic range	" Search	
	Journal sources Preferred Web sources	Other Web sources	
	Searched for:: :All of the words:multicarrier AND "red	uced dynamic range"	
	Found:: :14 total 0 journal results 2 prefer	red web results 12 other web results	
	Sort by:: :relevance date		
	Save checked results Email checked results		Refine yo
1.	Crest factors of complementary-sequence-based mu Communications, IEEE Transactions on [PDF-27K] Nov 2003	fillicode mc-cuma signais - wireless	using the found in t eee trans
	modulated two- and four-code assisted multicarr (MC-CDMAset, crest factor (CF), Golay codes, mu access (MC-CDMAcrest factor. The crest factors of ac- cess (MC-CDMA	Iticarrier code-division multiple-	eee transa transmitter Or refine
	[http://eprints.ecs.soton.ac.uk/8611/01/bjc-lh-Nov6 similar results	03-TW]	All of the
_ 2.	Spreading sequences for multicarrier CDMA systems Transactions on [PDF-33K] Jun 2000JUNE 1999 Spreading Sequences for Multicarries Popovi'cselection of spreading sequences for the systems with spectrumdynamic range of the corre used for the evaluation	r CDMA Systems Branislav M. multicarrier CDMA (MC-CDMA) esponding multicarrier waveforms, is s	Refine Multicarrie or 4G Mob Communica Shinsuke H
	[http://www.ing.unipi.it/~d7384/HTML/CDMA/Systesimilar results	em/Soft_d]	Discount R ashop Fast.
3.	SP03-02: Generalization of Single-Carrier and Multio [PDF-32K] Nov 2005	<u>Carrier Cyclic Prefixed Communication</u> <u>C</u> V	Save on Ra Discount R a We Have M
	the single-carrier and multicarrier cyclic prefixed Single-Carrier and Multicarrier Cyclic Prefixed Com The reduced dynamic range also relaxes the ADC and Multicarrier Transmisson: Bit Rate Comparison more hits from [http://viola.usc.edu/paper/Globeco similar results	resolutionPrefixed Single Carrier	Products Re Range Rev
4.	Parallel Interference Cancellation with Reduced Com Spectrum FCDMA - Nahler, Irmer, Fettweis [20K] Jan 2006 2 Interference Cancellation For A Multicarrier (1999Multi-carrier spread spectrum modulation w Fettweis - 1996 BibTeX entryDemonstrator for a L Spread-S Kuhne, Nahler et al [http://citeseer.ist.psu.edu/nahler00parallel.html] similar results	Nahler, Kühne, Fettweis ith reduced dynamic range - Aue,	

5.	Publications [159K] Sep 2005PDF-File 17 P.Zillmann, and G.Fettweis. On the Capacity of Multicarrier Transmission over Nonlinear Channels in Proceedings of theand G. Fettweis. Iterative Correction of Phase Noise in Multicarrier Modulation in Proceedings of the 9th International OFDM [http://www.ifn.et.tu-dresden.de/MNS/publications/html/] similar results
6.	METHOD FOR DYNAMIC RANGE REDUCTION [PDF-49K] Jul 20031997 and entitled "Method and apparatus for processing multicarrier signals" describes the design of a multi-carrier signalmodification of the signals ensures that the combined signal has a reduced dynamic range. U.S. Patent No. 3,938,153 issued to Lewis et al on February [http://www.ece.utexas.edu/~khuang/pat_sdr_final.pdf] similar results
7.	METHOD FOR DYNAMIC RANGE REDUCTION IN A WIDEBAND RECEIVER HUANG, Kai, Bin / QUEK, Quee, Seng / NATIONAL UNIVERSITY OF SINGAPORE, PATENT COOPERATION TREATY APPLICATION, Apr 20041997 and entitled "Method and apparatus for processing multicarrier signals" describes the design of a multi-carrier signalmodification of the signals ensures that the combined signal has a reduced dynamic range. U.S. Patent No. 3,938,153 issued to Lewis et al on February Full text available at patent office. For more in-depth searching go to LexisNexis- view all 2 results from Patent Offices similar results
8.	FINALREPORT 2.PDF [PDF-60K] Mar 2001transmission that is BW f T c b < < <) (/ 1 (9) where Dfc is the coherence bandwidth and BW is the total bandwidth of the multicarrier system. In this work, we examine frequency selectivity resulting in L fold frequency diversity over the entire bandwidth [http://www.cs.colostate.edu/casi/REPORTS/2000/Nassar00] similar results
9.	Mixed BB-IF predistortion of OFDM signals in non-linear channels - Broadcasting, IEEE Transactions on [PDF-31K] Jan 2002distortions because of the adopted multicarrier modulation. Index TermsDigital broadcastingSince the selected standards adopt multicarrier techniques such as OFDM [3], nonlinearityBack-Off (OBO), with a consequently reduced dynamic range and power efficiency. This solution [http://dante.diei.unipg.it/~banelli/Documenti/TransOnB] similar results
10.	Wireless Multiple Access Adaptive Communications Techniques [PDF-132K] Aug 2005 At each step, further adaptive capability is demanded of the system, and care must be taken to ensure that the adaptive algorithms interact in a complementary and stable fashion. Using such techniques, very large performance improve- ments over static designs may be obtained. I. [http://www.ee.ucla.edu/~pottie/papers/encyc1.pdf] similar results
11.	Synchronisation structure for OFDM system Bö / hnke, Ralf / Dö / lle, Thomas / Konschak, Tino / Sony International (Europe) GmbH, EUROPEAN PATENT, Jul 2000properties. For OFDM (or in general multicarrier signals) the signal envelope fluctuationgain control) pull-in time due to reduced dynamic range of the SYNCH burst, Improved AGCunderflow in the AD happens. The reduced dynamic range of the SYNCH burst help to find this

	Full text available at patent office. For more in-depth searching go to view all 2 results from Patent Offices similar results
□ 12.	Adaptive Frequency Domain Equalization [PDF-30K] Jun 1999complexity Radio Channel: Does reduce the implementation cost multicarrier transmission? (100,000 - 200,000 gates with a 0.35 μ mnD0 n 1 D1 Dm = em ne0 n 1 e1 em = em 2 u reduced dynamic range u good numerical properties advantages u implementation [http://bwrc.eecs.berkeley.edu/Seminars/Manzione%20-%20] similar results
<u> </u>	ICASSP 97 Table of Contents [PDF-2MB] Mar 1997 ICASSP 97 Table of Contents 1997 International Conference on Acoustics, Speech and Signal Processing All RED areas are hypertext links. Position the mouse pointer over the link and click with your mouse button. [http://viola.usc.edu/paper/ICASSP1997/PDF/INDEXPRN.PDF] similar results
14.	ICASSP 97 Table of Contents [PDF-2MB] Mar 1997 ICASSP 97 Table of Contents 1997 International Conference on Acquistics Speech and

link and click with your mouse button.
[http://viola.usc.edu/paper/ICASSP1997/PDF/INDEXSCR.PDF]

Signal Processing All RED areas are hypertext links. Position the mouse pointer over the

similar results

fast :::

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising</u> <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2006



About Us Newsroom Advisory Board Submit Web Site Contact Us Help **Basic Search** Advanced Search Search Preferences multicarrier and "reduced dynamic range" Search ☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase Searched for:: :All of the words:multicarrier AND "reduced dynamic range" Found:: :6 total | 0 journal results | 1 preferred web results | 5 other web results Sort by:: :relevance | date Save checked results Email checked results Export checked results Or refine i 1. Spreading sequences for multicarrier CDMA systems - Communications, IEEE All of the Transactions on [PDF-33K] Jun 2000 ...JUNE 1999 Spreading Sequences for Multicarrier CDMA Systems Branislav M. Refine Popovi'c...selection of spreading sequences for the multicarrier CDMA (MC-CDMA) systems with spectrum...dynamic range of the corresponding multicarrier waveforms, is Multicarrie used for the evaluation... for 4G Mobi [http://www.ing.unipi.it/~d7384/HTML/CDMA/System/Soft_d...] Communica Shinsuke Ha similar results \$90.37. **2.** ICASSP 97 Table of Contents [PDF-2MB] Discount Ra Mar 1997 Shop Fast. I ICASSP 97 Table of Contents 1997 International Conference on Acoustics, Speech and Discount Ra Signal Processing All RED areas are hypertext links. Position the mouse pointer over the We Have Mi link and click with your mouse button. Products Re more hits from [http://viola.usc.edu/paper/ICASSP1997/PDF/INDEXPRN.PDF] Range Revi similar results 3. FINALREPORT 2.PDF [PDF-60K] Mar 2001 ...transmission that is BW f T c b < < < <) (/ 1 (9) where Dfc is the coherence bandwidth and BW is the total bandwidth of the multicarrier system. In this work, we examine frequency selectivity resulting in L fold frequency diversity over the entire bandwidth... [http://www.cs.colostate.edu/casi/REPORTS/2000/Nassar00...] similar results 4. Synchronisation structure for OFDM system Bö / hnke, Ralf / Dö / lle, Thomas / Konschak, Tino / Sony International (Europe) GmbH, EUROPEAN PATENT, Jul 2000 ...properties. For OFDM (or in general multicarrier signals) the signal envelope fluctuation...gain control) pull-in time due to reduced dynamic range of the SYNCH burst, Improved AGC...underflow in the AD happens. The reduced dynamic range of the SYNCH burst help to find this... Full text available at patent office. For more in-depth searching go to LexisNexissimilar results 5. Adaptive Frequency Domain Equalization [PDF-30K] Jun 1999

...complexity Radio Channel: Does reduce the implementation cost **multicarrier** transmission? (100,000 - 200,000 gates with a 0.35 μ m...nD0 n 1 D1 ... Dm = em ne0 n 1 e1 ... em = em 2 u **reduced dynamic range** u good numerical properties advantages u implementation...

[http://bwrc.eecs.berkeley.edu/Seminars/Manzione%20-%20...] similar results

☐ **6.** ICASSP 97 Table of Contents [PDF-2MB]

Mar 1997

ICASSP 97 Table of Contents 1997 International Conference on Acoustics, Speech and Signal Processing All RED areas are hypertext links. Position the mouse pointer over the link and click with your mouse button.

[http://viola.usc.edu/paper/ICASSP1997/PDF/INDEXSCR.PDF] similar results

fast :::

Powered by FAST © Elsevier 2006



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))<an..." Your search matched 0 documents.

⊠e-mail 🖶 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))<and>

Search >

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or

Magazine

IEE Journal or Magazine

IEE JNL

IEEE CNF **IEE CNF**

IEEE Conference Proceeding

IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by # inspec



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))" Your search matched 2 of 1318251 documents.

☑e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Modify Search

» Search Options

View Session History

New Search

IEEE JNL

» Key

((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))

Search >

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF IEE Conference

Proceeding

IEEE STD IEEE Standard

1. Higher-level multi-carrier modulation and its implementation

Select All Deselect All

Aue, V.; Fettweis, G.P.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

view selected items

Volume 1, 22-25 Sept. 1996 Page(s):126 - 130 vol.1 Digital Object Identifier 10.1109/ISSSTA.1996.563755

AbstractPlus | Full Text: PDF(432 KB) IEEE CNF

Rights and Permissions

Multi-carrier spread spectrum modulation with reduced dynamic range

Aue, V.; Fettweis, G.P.;

Vehicular Technology Conference, 1996. 'Mobile Technology for the Human Race'., IEEI

Volume 2, 28 April-1 May 1996 Page(s):914 - 917 vol.2 Digital Object Identifier 10.1109/VETEC.1996.501444

AbstractPlus | Full Text: PDF(388 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Inspec.